







LANTERNE																				ACCOUPLEMENT				
Puissance moteur			Type de pompe	Dimensions en millimètre																Accouplement complet				
Kw	Taille	HP		Référence	A	B	C	D	F	G	H	P	Q	R	S	E	L	M	N	O	Référence			
2,2	100	3	U1P	LS250	250	215	180	14	185	105	21	M12	118	86	43	25,4	26,2	72	52	M6	ND11			
			1C	LS251												30	24,5	73	56		ND12			
			1M	LS251												30	24,5	73	56		ND12A			
			2	LS252												36,5	32,5	96	71,5	M8	ND13			
			ZB	LBS22												32	10,3	40	40		ND204			
			ZF	LBS23												80	34,5	100	72		ND206			
			2	LS253												36,5	32,5	96	71,5	M8	ND14			
			T250	LS254												50,8	43	128	98,5		M10	ND15		
			3U	LS255													42							
			M3	LS256													43							
T3	LS257	45	137	98,4																				
4	112	5,5	ZF	LBS24	80	34,5	100	72	M8	ND208														
			ZG	LBS25	105	48	145	102	M10	ND209														
			35M	LE2509	60	48,2	148	127	M12	ND52A														
			35G	LE2510	60,3	49,5	149,5	114,3	M10															
			35U		60,3	49,5	149,5	114,3	M10															
			5,5	132	7,5	U1P	LS310	300	265	230	14	238	143	21	M12	170	120	59	25,4	26,2	72	52	M6	ND900
						1C	LS311												30	24,5	73	56		ND901
						1M	LS311												30	24,5	73	56		ND901A
2	LS300	36,5				32,5	96												71,5	M8	ND16			
T250	LS301	50,8				43	128												98,5		M10	ND17		
3U	LS302					42																		
M3	LS303					43																		
T3	LS304	45				137	98,4																	
9		12,5				ZF	LBS26												80	34,5	100	72	M8	ND210
						ZG	LBS27												105	48	145	102	M10	ND211
						35M	LS305												60	48,2	148	127	M12	ND18C
						35G	LS306												60,3	49,5	149,5	114,3	M10	
						35U													60,3	49,5	149,5	114,3	M10	



ACCOUPLEMENT ELASTIQUE																			
Accoiplement complet		Demi accouplement moteur (mm)							Roue élastique		Demi accouplement pompe (mm)								
Référence	H	Référence	A	C	G	D	CH	T	Référence	I	Référence	B	E	Arbre	d	ch	t	l	
ND11	97	ND65C	65	53	58	28	8	31	R62	18	ND65PU1P	34	22	Cônique 1:8	9,7	2,4	10,5	15	
ND12											ND65P1C			Cylindrique	12	3	13,3	13,5	
ND12A											ND65P1M			Cônique 1:8	13,9	3	15,5	18,5	
ND13											ND65P2			Cônique 1:8	17,2	3,2 4	18,5	23	
ND204											ND65PZB				Cônique 1:5	9,8	2	10,2	12
ND206											ND65PZF					16,9	3	17,7	19
ND14	107	ND86A	86	55	60	28	8	31	R82	20	ND86P2	48	27	Cônique 1:8	17,2	3,2 4	18,5	23	
ND15											ND86P3U				22,2	4	23,6	28	
ND208											ND86PZF				16,9	3	17,7	19	
ND209											ND86PZG			Cônique 1:5	25,2	5	26,3	29	
ND52A											ND85H35				Cônique 1:8	25,6	4,76 - 5	27,8	35
ND900	135	ND86B	86	73	88	38	10	41	R82	20	ND86PU1P	48	27	Cônique 1:8	9,7	2,4	10,5	15	
ND901											ND86P1C			Cylindrique	12	3	13,3	13,5	
ND901A											ND86P1M			Cônique 1:8	13,9	3	15,5	18,5	
ND16											ND86P2			Cônique 1:8	17,3	3,2 4	18,5	23	
ND17											ND86P3				Cônique 1:8	22,2	4	23,6	28
ND210											ND86PZF					Cônique 1:5	16,9	3	17,7
ND211											ND86PZG			25,2			5	26,3	29
ND18C														ND108A	108	73	77	38	10



FLASQUE DE POMPE							
Groupe	Fabricant	Type de pompe	Dimensions (mm)				
			E	L	M	N	O
0,5	Standard	05M / 05GT	22	25,5	66	-	M6
1	Standard	U1P	25,4	26,2	72	52	
	Marzocchi	1C / 1M	30	24,5	73	56	
2	Standard	2	36,5	32,5	96	71,5	M8
3	Turolla (Sauer) Dowty	T250	50,8	43	128	98,5	
	Standard	3U		42			
	Marzocchi - HPI	M3		43	137	98,4	
	Turolla (Sauer)	T3		45			
3,5	Marzocchi	35	60	48,2	148	127	M12
	Standard		60,3	49,5	149,5	114,3	M10
4	Marzocchi - Turolla (Sauer)	4	63,5	65	196	142,8	M12
	Standard			64,3	188	143	
Bosch	BOSCH Type ZBR	ZB	32	10,3	40	40	M8
	BOSCH Type ZFR-S	ZF	80	34,5	100	72	
	BOSCH Type ZGR-S	ZG	105	48	145	102	M10



DEMI ACCOUPLEMENT POMPE							
Groupe	Fabricant	Type de pompe	Type d'arbre	Dimensions (mm)			
				d	ch	t	l
0,5	Marzocchi - Lamborghini	05M	Cylindrique	6	2	7	10
	Standard	05GT		7	2	8	
1	Cylindrique	1C		12	3	13,3	13,5
	Standard	U1P	9,7	2,4	10,5	15	
	Marzocchi	1M	13,9	3	15,5	18,5	
2	Standard	2	Cônique 1:8	17,2	3,2	18,5	23
	Casappa - Dowty - Salami			4			
3	Standard	3U		22,2	4	23,6	28
3,5	Standard	35		25,6	4,76	27,8	35
	Marzocchi				5		
4	Marzocchi - Turolla (Sauer)	4		33,3	6,35	35,5	45
	Standard				7		
Bosch	BOSCH Type ZBR	ZB	Cônique 1:5	9,8	2	10,2	12
	BOSCH Type ZFR-S	ZF		16,9	3	17,7	19
	BOSCH Type ZGR-S	ZG		25,2	5	26,3	29